# **Towards Using Discrete Multiagent Pathfinding to Address Continuous Problems**

# **Athanasios Krontiris**

# University of Nevada, Reno Reno, NV 89557 USA tdk.krontir@gmail.com

# **Qandeel Sajid**

# University of Nevada, Reno Reno, NV 89557 USA sajid.qandeel@gmail.com

# Kostas E. Bekris

University of Nevada, Reno Reno, NV 89557 USA bekris@cse.unr.edu

#### **Abstract**

Motivated by efficient algorithms for solving combinatorial and discrete instances of the multi-agent pathfinding problem, this report investigates ways to utilize such solutions to solve similar problems in the continuous domain. While a simple discretization of the space which allows the direct application of combinatorial algorithms seems like a straightforward solution, there are additional constraints that such a discretization needs to satisfy in order to be able to provide some form of completeness guarantees in general configuration spaces. This report reviews ideas on how to utilize combinatorial algorithms to solve continuous multiagent pathfinding problems. It aims to collect feedback from the community regarding the importance and the complexity of this challenge, as well as the appropriateness of the solutions considered here.

## Introduction

Multi-agent pathfinding requires the computation of paths for multiple agents so that they move from a set of start configurations to goal configurations while avoiding collisions. Efficient and scalable solutions to this problem are relevant in many applications, such as space exploration [Leitner (2009)], warehouse management [Wurman, D'Andrea, and Mountz (2008)], intelligent transportation [Dresner and Stone (2008)], assembly or disassembly [Halperin, Latombe, and Wilson (1998); Sundaram, Remmler, and Amato (2001)], and computer games [Silver (2005b); Nieuwenhuisen, Kamphuis, and Overmars (2007); Wang and Botea (2008a); Jansen and Sturtevant (2008b)] to name a few.

In many applications, the domain that the agents are operating in is continuous and the agents may have complicated geometry. In such setups, one needs to reason about the configuration space of the problem. Figure 1 provides an related example in a two dimensional workspace. This challenge is known in the literature as the multi-movers problem and has been shown to be a hard problem [Hopcroft, Schwartz, and Sharir (1984); Ratner and Warmuth (1986)]. A discrete version of the multi-agent pathfinding problem is often considered in the literature, similar to the example in Figure 2. This discrete variant involves agents operating

Copyright  $\odot$  2012, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.




Figure 1: An example solution sequence of a multiagent pathfinding instance in a continuous two-dimensional workspace. Planar rigid bodies need to be rearranged from a set of initial to a set of goal configurations. The red dots denote the goal locations of the rigid bodies. The configuration space is three dimensional.

in an abstraction, such as a graph or a grid, and may be directly applicable in some applications. There are various approaches that have been proposed for this combinatorial version of multi-agent path finding with desirable properties. For instance, a theoretical study, which refers to the problem as the "pebble motion on a graph", outlines a decision algorithm and has shown that in the worst case a  $n^3$  number of moves is sufficient for its solution, where n is the number of vertices in the underlying graph [Kornhauser, Miller, and Spirakis (1984)]. The same work has also provided examples of graphs where  $n^3$  number of moves is required. More recently, concrete algorithms for the solution of the discrete challenge have been proposed, which return sub-optimal solutions in polynomial time complexity for important subcases of the general discrete challenge [Khorshid, Holte, and Sturtevant (2011); Luna and Bekris (2011)]. Furthermore,




Figure 2: The solution to a discrete multi-agent pathfinding problem.

there are recent complete search-based algorithms, which return optimal solutions and reduce the computational cost relative to naive A\* search in the composite space of all agents [Sharon et al. (2011); Standley and Korf (2011)].

Given the desirable properties of efficient algorithms for discrete multi-agent pathfinding, this report investigates the following question: how straightforward is it to utilize discrete and combinatorial solutions for multi-agent pathfinding to solve challenges in continuous domains. It may initially appear that it is quite easy to impose a simple discretization of the continuous space, such as a grid or a graph, apply the combinatorial solution on the resulting discretization and then translate the result back to the continuous space. This straightforward approach may directly work in certain simple cases. Nevertheless, there are additional considerations that need to be addressed in the general case that complicate the challenge, even if all the agents have the same geometry, which is a simple variation of the continuous challenge and the starting point for the discussion in this report. These additional concerns are especially important if the objective is to provide some form of completeness guarantee in the continuous case, such as resolution or probabilistic completeness. The report describes various directions that could be considered towards utilizing efficient discrete multi-agent pathfinding algorithms to solve continuous problems.

## **Related Work**

Coupled methods for multi-agent pathfinding consider the agents as a composite system with high dimensionality. The solution is found by searching the composite space with complete, optimal planners. For discrete challanges, this can be solved by involving A\* [Hart, Nilsson, and Raphael (1968)] or one of its variants [Korf (1985)]. Unfortunately, the straightforward search approach quickly becomes intractable due to its exponential complexity. This has led to methods that prune the search space while maintaining desirable guarantees. One recent technique searches for optimal paths in an iterative deepening manner, showing that a breadth-first search is feasible [Sharon et al. (2011)]. Another approach modifies state expansion using operator decomposition and segmenting instances into independent subproblems [Standley (2010); Standley and Korf (2011)]. There is also work on minimizing the maximum dimension of independent subproblems [van den Berg et al. (2009)].

Many coupled planners cede optimality, but retain completeness, and operate on specific graph topologies. Specifically for the discrete challenge, a theoretical study of the

problem refers to is as the "pebble motion on graphs" [Kornhauser, Miller, and Spirakis (1984)], which can be seen as the general case of the famous 15-puzzle [Loyd (1959)]. In this setup pebbles occupy distinct vertices of a given graph and are moved from one placement to another. A move consists of transferring a pebble to an adjacent unoccupied vertex. It has been shown that a cubic number of moves as a function of the number of graph vertices is sufficient to solve this challenge and that the decision problem can be solved efficiently [Kornhauser, Miller, and Spirakis (1984)].

Many recent methods provide concrete algorithms for specific instances of discrete multi-agent pathfinding. For trees, there is a linear time check for the solvability of an instance [Auletta et al. (1996); Masehian and Nejad (2009)]. Based on this result, a tree-based technique has been proposed that employs single-agent primitives [Khorshid, Holte, and Sturtevant (2011)]. Similar single-agent primitives have been employed by a method that is complete on general graphs with two more vertices than agents and has polynomial complexity [Luna and Bekris (2011)]. Another method considers the minimum spanning tree of the graph and is complete if there are more leaves in the tree than agents [Peasgood, Clark, and McPhee (2008)]. There is also a complete approach specifically for bi-connected graphs with two more vertices than agents [Surynek (2009)]. For "slidable" grid-based problems, there is a polynomial time solution [Wang and Botea (2011)]. In another variant there is a single pebble and several movable obstacle-pebbles on the nodes of the graph [Papadimitriou et al. (1994)]. Another method segments the graph into subgraphs by planning high-level operations between subgraphs to reduce the branching factor [Ryan (2008)]. An unlabeled version of the pebble problem has also been considered [in Graphs and Grids (2008)].

In contrast, decoupled techniques compute individual paths and resolve collisions as they arise. They can solve problems much faster but they are not guaranteed to be optimal or complete. Certain decoupled methods are based on heuristic search. One creates a flow network within gridworlds [Wang and Botea (2008b); Jansen and Sturtevant (2008a)] and coordinates the actions where the flows intersect to reduce the number of paths and their intersections. WHCA\* [Silver (2005a); Sturtevant and Buro (2006)] utilizes dynamic prioritization, windowed cooperative search and a perfect single-agent heuristic to compute scalable solutions. Prioritized planners compute paths sequentially for different agents in order of priority, where high priority agents are moving obstacles for the lower priority ones [Erdmann and Lozano-Perez (1986)]. The choice of priorities has a significant impact on solution quality [van den Berg and Overmars (2005)], and searching the space of priorities can improve performance [Bennewitz, Burgard, and Thrun (2002)]. For trees, a hierarchical prioritization-based planner exists to coordinate sequential actions [Masehian and Nejad (2010)]. Other decoupled planners employ a plan-merging scheme to coordinate actions and detect deadlocks [Saha and Isto (2006)].

# Straightforward Approach

A straightforward approach to transfer solutions from the discrete to the continuous case, where all the agents have the same geometry, is the following two step procedure:

- Discretize the  $\mathcal{C}$ -space and acquire a graph-based representation G(V,E) of  $\mathcal{C}_{\text{free}}$  for a single agent. This means that the nodes  $v \in V$  correspond to an agent's collision-free configurations, i.e.,  $v \in \mathcal{C}_{\text{free}}$ . Similarly for edges  $e \in E$ , where e(s) represents the interpolated configuration between the initial and final configuration of the edge e for parameter s, it has to be that  $e(s) \in \mathcal{C}_{\text{free}}, \forall s \in [0,1]$ . The approach needs to make sure that the initial and goal configurations of the agents are connected to the graph G.
- Compute a combinatorial solution for the discrete MAPF problem on G. If one exists, translate the discrete path on G to continuous paths in the C-space for all the agents.

The discretization can be achieved either by employing a regular grid in the  $\mathcal{C}$ -space, implying that a solution can only be resolution complete, or by employing sampling, implying that a solution can only be probabilistically complete. Employing methods that would return asymptotically optimal or near-optimal sampling-based roadmaps would be appropriate in this context. They bring the hope of returning a relatively sparse representation that may still allow covering  $\mathcal{C}_{\text{free}}$ , reflecting its connectivity and returning good quality paths. If a solution is not found by the combinatorial algorithm, either a higher-resolution grid can be computed or additional sampling can be performed in order to hopefully return a graph G on which a solution can be found.

While the above approach seems relatively straightforward, it has to deal with an important challenge. The constructed roadmap G guarantees that its vertices and edges are collision free with the static geometry of the workspace but not among themselves. This means that if multiple agents are required to use the same roadmap G there is no guarantee that when agent  $A_1$  occupies vertex  $v_1$  and agent  $A_2$  occupies vertex  $v_2$ , that the two agents will not be colliding. The same is true for an agent occupying a vertex and another agent traversing an edge of the roadmap or two agents traversing simultaneously two edges. These concerns can be addressed if the following constraints are imposed upon the construction of a roadmap:

- a)  $\forall v_1, v_2 \in V : A(v_1) \cap A(v_2) = 0$ ,
- b)  $\forall v \in V$  and  $\forall e \in E$  where  $v \neq e(0), e(1)$  and  $\forall s \in [0,1]: A(v) \cap A(e(s)) = 0$  and
- c)  $\forall e_1, e_2 \in E$  where  $e_1(0), e_1(1) \neq e_2(0), e_2(1)$  and  $\forall s_1, s_2 \in [0, 1]: A(v_1(s_1)) \cap A(v_2(s_2)) = 0$ .

The above constraints guarantee that if a multi-agent path finding solution is computed on the graph G(V,E) where no two agents occupy simultaneously the same vertex or edge, then this solution can be translated to continuous collision-free paths for the agents because a) two agents occupying two distinct vertices will never be colliding, b) an agent occupying a vertex will never collide with an agent traversing an edge and c) two agents traversing two distinct vertices will never collide. If the discrete multi-agent path finding algorithm computes a sequential solution, i.e., one where only

one agent traverses an edge at a time, then the requirement c) is not necessary.

A sampling-based algorithm can be easily adapted to satisfy the above expressions. Nevertheless, these requirements are highly constraining. Very quickly an algorithm will not be able to add vertices and edges into the roadmap because they are going to be intersecting with existing features of the roadmap. Thus, the resulting approach cannot be easily shown to be probabilistically or resolution complete, as it is not easy to show that when a solution to the continuous space exists, a graph can be found that satisfies the above requirements and on which a discrete multi-agent path finding solution can be computed.

The following discussion will focus on describing related ideas that could be used in order to address this challenge in trying to transfer a multi-agent path finding solution from the discrete to the continuous case.

## **Ideas**

# **Relocating Roadmap Nodes**

As mentioned, some nodes  $\mathcal{V}c\subseteq\mathcal{V}$  of the roadmap  $\mathcal{G}$  can be in collision with each other  $(A(v_1)\cap A(v_2)\neq 0)$ . One idea is to attempt to move nodes in the set  $\mathcal{V}c$  to a different location, while trying to maintain the topological properties of the graph. By moving nodes, the graph's geometrical properties are changing. The new location of  $\mathcal{V}c$  has to respect the following rules:

- The new configuration has to be collision free.
- It should not lead into collisions with other nodes.
- It should not lead into collisions with roadmap edges.

Unfortunately there is no guarantee that the algorithm can find a new location for all the nodes in Vc. It is, however, a post-processing step that can be applied after the construction of the roadmap.

# **Merging Nodes**

An alternative solution is to merge two roadmap nodes into a single one so as to prevent more than one agent from attempting to occupy them simultaneously. As the number of intersecting nodes grows, merging these nodes becomes increasingly problematic. Instead of actually replacing the nodes by a single one, it is possible to define a super node, where only one agent is allowed to occupy a configuration in the super node at a time and there is a path between nodes. Converting clusters of nodes into one node significantly alters the original topology of the problem. It reduces the number of nodes on the graph, which can cause the discrete algorithm to fail to find a solution to a solvable problem. A simple solution to the loss of nodes can be to just add nodes to the graph. It is not obvious, however, howmany nodes should be added and where.

# Addressing Node/Node and Node/Edge Interactions

The first case that has to be examined is the interaction between nodes  $\mathcal{V}c \subseteq \mathcal{V}$  that are in collision. Assume that two




Figure 3: Example of how robot A can reach its goal  $G_A$ 

robots  $r_A$  and  $r_B$  have to stop in adjacent nodes that will bring them into collision and that the robot  $r_B$  is the second one arriving. In this case  $r_A$  has to move out of its position and find a safe spot in a configuration  $\mathcal{I}_A$ , which can be considered as an intermediate parking spot for that vertex. Robot  $r_A$  has to be able to return to its node after  $r_B$  moves away. If  $r_A$  has to move before  $r_B$ , then  $r_A$  can first tries to find a path to its goal. If this fails, then  $r_B$  has to find an intermediate configuration  $\mathcal{I}_B$  that will allow it to come back to its previous node and traverse the edge to reach its next destination.

In some cases a robot  $r_A$  is traversing an edge that is blocked by robot  $r_B$  occupying a node. The idea from the previous paragraph can be extended to this case. Robot  $r_B$  has to find an intermediate collision free configuration  $\mathcal{I}_B$  such that  $r_A$  can traverse the edge. After  $r_A$  finishes its move and as long as the destination node of  $r_A$  in not in collision with the previous position of  $r_B$ , then  $r_B$  returns to its original node. In the case that the current position of  $r_A$  is in collision with the last position of  $r_B$ ,  $r_B$  has to wait in  $\mathcal{I}_B$  the situation is treated as interaction between two nodes.

In both cases (node/node and node/edge interaction) it is not guaranteed that the algorithm will find a valid space for the robot that has to move away from its position (e.g.,  $r_A$ ). Then the algorithm will claim that there is no solution for a problem, even if one exists.

It is also possible to consider a solution that operates directly in the continuous space. Consider that a graph  $\mathcal G$  is computed initially and the discrete algorithm is executed on this graph. Each robot  $r_A$  is trying to find a path to the next node according to the solution specified by the discrete algorithm, using a sampling-based algorithm (e.g., RRT\*). For the example in Fig. 3 the robot  $r_A$  tries to reach goal  $G_A$ , but there are other robots blocking its path. Following the idea from the discretized version of the algorithm the following steps can be executed:

- Robot  $r_A$  tries to reach the next node of its trajectory  $F_A$ .
- If  $r_B$  is blocking  $r_A$ .
- Both of the robots are expanding a tree using operations in the continuous space (e.g., using RRT\*).

- Try to find a combination of vertices on the RRT\* trees so that:
  - Robot  $r_A$  can go to an intermediate position  $I_A$  that is collision free with respect to the current position  $(C_B)$  of robot  $r_B$ .
  - Robot  $r_B$  can go to an intermediate position  $I_B$  that is collision free with respect to the intermediate position  $(I_A)$  of robot  $r_A$ .
  - Robot  $r_A$  can return to the previous current position  $(C_A)$  from the intermediate position  $I_A$  that is collision free with respect to the intermediate position  $(I_B)$  of robot  $r_B$ .
  - Robot  $r_A$  can go to the next step of the trajectory that was following  $F_A$  that is collision free with respect to the intermediate position  $(I_B)$  of robot  $r_B$ .
  - Robot  $r_B$  can return to the previous current position  $(C_B)$  from the intermediate position  $I_B$  that is collision free with respect to the final position  $(F_i)$  of robot  $r_A$ .
- When both robots come up with an intermediate position (I<sub>A</sub>, I<sub>B</sub>) they are trying to move there.
- Robot r<sub>C</sub>, though, is blocking r<sub>A</sub>'s way to its intermediate position I<sub>A</sub>.
- Robot r<sub>A</sub> and r<sub>C</sub> have to find new intermediate positions so as r<sub>C</sub> will free the road to robot r<sub>A</sub>.
- In Fig.3 (c),  $r_C$  is moving to its intermediate position  $I_C$ , so that robot  $r_A$  can move to its intermediate position  $I_A$ . Final the robot  $r_B$  is moving to its intermediate position  $I_B$ .
- Now that the robot  $r_B$  moved away of the position that was blocking robot  $r_A$ , robot  $r_A$  can return to its  $C_A$  position and then move to its next position  $F_A$ . Then the previous steps have to happen in the opposite direction. Robot  $r_B$  is moving back to its  $C_B$  position and robot  $r_C$  is moving back to its  $C_C$  position (Fig .3 (d)).

Unfortunately, as before, this version cannot guarantee that it will find a solution in the general case, if one exists. The problem arises when more than two robots have to be pushed away from their position so that robot  $r_A$ can find a path to its goal. The algorithm has to be called recursively, which may result in an exhaustive search for the problem.

# **Transferring Primitives to the Continuous Space**

Rather than use the discrete algorithm to search, in some cases it is easier to search directly in the continuous space. The idea behind this approach is to decompose each agent's path into segments defined by critical points. A critical point occurs at the following locations:

- Initial location of the agent
- Final location of the agent
- Before the intersection with another agent
- Right after the intersection with another agent.

The objective is to sequentially move each agent (i.e., "pushing agent") along the critical points until it reaches its goal. Blocking agents (all agents except the pushing agent)




Figure 4: Agent A executes swap by moving from critical point a to b.

that occupy a segment between the critical points are forced to leave. Each agent has its own roadmap. When the pushing agent reaches a critical point, it clears the segment corresponding to the region between the current critical point to the next by forcing any agent(s) on that segment to use their own roadmaps. Any other agent blocking the problematic agent(s) will be also pushed away. When the segment is cleared, the pushing agent can make progress from one critical point to the next. If the new critical point does not allow previously pushed agents to return to their original position, the pushing agent continues to move from its current critical point to next while agents that can return do so. Many of these pushed agents could have been on their goals in the original configuration or their original configurations were of importance to other agents that need to return to their goals. By returning all pushed agents to their original configurations, the algorithm attempts to find the solution in finite

An example is shown in Figure 4, in which agent A is attempting to move from its initial location to its goal while dealing with intersection with agent B. Agent A has four critical points along its goal: A's start/goal, and the point before and after intersection with agent B. When agent A is at critical point a, to get to point b it needs to push agent B from the path segment. Agent B uses its own roadmap to push away. When agent A reach critical point b, agent B is able to return to its original location.

In this algorithm, the roadmaps are constructed using sampling. Each agent keeps track of its own roadmap so as to allow the algorithm to be utilized with agents of various sizes. This is the alternative we are currently pursuing as we consider that it is the most hopeful in providing efficient solutions for the most general setups.

# Acknowledgments

The work of the authors is supported by NSF CNS 0932423. Qandeel Sajid was also supported by a Nevada NASA EPSCOR scholarship award. Any opinions expressed in this paper are those of the authors and do not necessarily reflect the views of the sponsors.

### References

Auletta, V.; Monti, A.; Parente, M.; and Persiano, P. 1996. A linear time algorithm for the feasibility of pebble motion

- on trees. In Proc. of the 5th Scandinavian Workshop on Algorithm Theory, 259–270.
- Bennewitz, M.; Burgard, W.; and Thrun, S. 2002. Finding and Optimizing Solvable Priority Schemes for Decoupled Path Planning for Mobile Robots. *Robotics and Autonomous Systems* 41(2):89–99.
- Dresner, K., and Stone, P. 2008. A multiagent approach to autonomous intersection management. *Journal of Artificial Intelligence Research* 31:591–656.
- Erdmann, M., and Lozano-Perez, T. 1986. On Multiple Moving Objects. In *ICRA*, 1419–1424.
- Halperin, D.; Latombe, J.; and Wilson, R. 1998. A general framework for assembly planning: The motion space approach. *Algorithmica* 26(3-4):577–601.
- Hart, E. E.; Nilsson, N. J.; and Raphael, B. 1968. A formal basis for the heuristic determination of minimum cost paths. *IEEE Transactions on Systems Science and Cybernetics* 2:100–107.
- Hopcroft, J. E.; Schwartz, J. T.; and Sharir, M. 1984. On the complexity of motion planning for multiple independent objects: PSPACE-hardness of the warehouseman's problem. *Int'l Journal of Robotics Research (IJRR)* 3(4):76–88.
- in Graphs, R., and Grids. 2008. Calinescu, g. and dimitrescu, a. and pach, j. *SIAM Journal of Discrete Math* 22(1):124–138.
- Jansen, M. R., and Sturtevant, N. 2008a. Direction Maps for Cooperative Pathfinding. In AIIDE.
- Jansen, M. R., and Sturtevant, N. R. 2008b. Direction maps for cooperative pathfinding. In *The Fourth Artificial Intelligence and Interactive Digital Entertainment Conference* (AIIDE'08).
- Khorshid, M. M.; Holte, R. C.; and Sturtevant, N. 2011. A Polynomial-Time Algorithm for Non-Optimal Multi-Agent Pathfinding. In *SOCS*, 76–83.
- Korf, R. E. 1985. Depth-first iterative-deepening: An optimal admissible tree search. *Artificial Intelligence* 27:97–109.
- Kornhauser, D.; Miller, G.; and Spirakis, P. 1984. Coordinating pebble motion on graphs, the diameter of permutation groups and applications. In *Proc. of the 25th Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE Computer Society, 241–250.
- Leitner, J. 2009. Multi-robot cooperation in space: A survey. Advanced Technologies for Enhanced Quality of Life 144–151.
- Loyd, S. 1959. Mathematical Puzzles of Sam Loyd. Dover.
- Luna, R., and Bekris, K. E. 2011. Push and Swap: Fast Cooperative Path-Finding with Completeness Guarantees. In *IJCAI*, 294–300.
- Masehian, E., and Nejad, A. H. 2009. Solvability of Multi Robot Motion Planning Problems on Trees. In *IROS*, 5936–5941.

- Masehian, E., and Nejad, A. H. 2010. A Hierarchical Decoupled Approach for Multi Robot Motion Planning on Trees. In *ICRA*, 3604 3609.
- Nieuwenhuisen, D.; Kamphuis, A.; and Overmars, M. 2007. High quality navigation in computer games. *Science of Computer Programming* 67(1):91–104.
- Papadimitriou, C. H.; Raghavan, P.; Sudan, M.; and Tamaki, H. 1994. Motion planning on a graph. In *Proc. of the Annual Symposium on Foundations of Computer Science (FOCS)*, 511–520.
- Peasgood, M.; Clark, C.; and McPhee, J. 2008. A Complete and Scalable Strategy for Coordinating Multiple Robots within Roadmaps. *IEEE Transactions on Robotics* 24(2):282–292.
- Ratner, D., and Warmuth, M. K. 1986. Finding a shortest solution for the n x n extension of the 15-puzzle is intractable. In *The Fifth National Conference on Artificial Intelligence (AAAI'86)*, 168–172.
- Ryan, M. R. K. 2008. Exploiting Subgraph Structure in Multi-Robot Path Planning. *Journal of AI Research* 31:497–542.
- Saha, M., and Isto, P. 2006. Multi-Robot Motion Planning by Incremental Coordination. In *IROS*, 5960–5963.
- Sharon, G.; Stern, R.; Goldenberg, M.; and Felner, A. 2011. The Increasing Cost Tree Search for Optimal Multi-Agent Pathfinding. In *IJCAI*, 662–667.
- Silver, D. 2005a. Cooperative Pathfinding. In AIIDE, 23–28.
- Silver, D. 2005b. Cooperative pathfinding. In *The 1st Conference on Artificial Intelligence and Interactive Digital Entertainment (AIIDE'05)*, 23–28.
- Standley, T., and Korf, R. 2011. Complete Algorithms for Cooperative Pathnding Problems. In *IJCAI*, 668–673.
- Standley, T. 2010. Finding Optimal Solutions to Cooperative Pathfinding Problems. In *AAAI*, 173–178.
- Sturtevant, N., and Buro, M. 2006. Improving Collaborative Pathfinding Using Map Abstraction. In *AIIDE*, 80–85.
- Sundaram, S.; Remmler, I.; and Amato, N. M. 2001. Disassembly sequencing using a motion planning approach. In *The IEEE International Conference on Robotics and Automation (ICRA'01)*, 1475–1480.
- Surynek, P. 2009. A Novel Approach to Path Planning for Multiple Robots in Bi-connected Graphs. In *ICRA*, 3613–3619.
- van den Berg, J., and Overmars, M. 2005. Prioritized Motion Planning for Multiple Robots. In *IROS*, 2217–2222.
- van den Berg, J.; Snoeyink, J.; Lin, M.; and Manocha, D. 2009. Centralized path planning for multiple robots: Optimal decoupling into sequential plans. In *Robotics: Science and Systems*.
- Wang, K.-H. C., and Botea, A. 2008a. Fast and Memory-Efficient Multi-Agent Pathfinding. In *The International Conference on Automated Planning and Scheduling (ICAPS'08)*, 380–387.

- Wang, K.-H. C., and Botea, A. 2008b. Fast and Memory-Efficient Multi-Agent Pathfinding. In *ICAPS*, 380–387.
- Wang, K.-H. C., and Botea, A. 2011. MAPP: A Scalable Multi-Agent Path Planning Algorithm with Tractability and Completeness Guarantees. *Journal of AI Research* 42:55–90.
- Wurman, P. R.; D'Andrea, R.; and Mountz, M. 2008. Coordinating hundreds of cooperative, autonomous vehicles in warehouses. AI Magazine 29(1):9–19.